The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-23381

Stream : Pogues Run

Applicant : Capital Improvement Board of Managers of Marion

County

Barney Levingood

100 South Capital Avenue Indianapolis, IN 46225-1002

Description : Four RCP storm sewer pipes will be outlet into Pogues Run. The pipes will be

used to drain runoff from the proposed multi-purpose venue at the site.

Manufactured BMP's will be used to treat the runoff before outletting into Pogues Run. Due to combined sewer overflow constraints, no storm flow will outlet into the north side of Pogues Run. When necessary a sag pipe will be used to transport water under Pogues Run and into the box on the south side. An existing connection into Pogues Run will be patched. Additional fill will be placed over Pogues Run. The fill will reach a maximum depth of 15'. A concrete transfer

slab will be constructed on top of Pogues Run to handle the additional fill.

Transfer beams will be used over Pogues Run so no additional pressure from the proposed building will occur on the box. Pipes for the proposed infrastructure systm will pass over the top of Pogues Run. Details of the project are contained in plans and information received at the Division of Water on May 25, 2005.

Location : Approximately 700' east of South West Street and 200' south of Merrill Street

at Indianapolis, Center Township, Marion County

SW1/4, Section 11, T 15N, R 3E, Indianapolis West Quadrangle

Quad Code: 3908672

UTM Coordinates: Downstream 4401065 North, 571534 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23382

Stream : Prairie Creek

Applicant : Boone County Commissioners

Tom Kouns

116 West Washington Street

Room 103

Lebanon, IN 46052

Description

The existing single span, concrete girder bridge carrying Fordice Street over Prairie Creek will be replaced with a new structure on essentially the same alignment to improve traffic flow. The new structure will be a single span, precast, reinforced concrete, three sided, flat top, under fill structure with a span length of 32'. The structure will have an out-to-out length of 34.3' and a clear roadway width of 35.5'. The footings and stream flow line will be armored with a minimum of 2' deep revetment riprap. The structure will be skewed 15 degrees to align with the stream flow. Although the proposed and existing roadway is depressed in relation to the location of the area over banks and properties, the new approach roads will be elevated a maximum of 0.7' above the existing approaches. The existing structure will be completely removed. The project is federally funded. Details of the project are contained in information received electronically at the Division of Water on May 26, 2005.

Location

Along the east and west banks (including the channel) of Prairie Creek, beginning approximately 36' upstream from the south coping of the existing bridge and continuing to approximately 36' down stream from the north coping of the existing bridge

at Lebanon, Center Township, Boone County Section 30, T 19N, R 1E, Lebanon Quadrangle

Quad Code: 4008614

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23383

Stream : St. Joseph River

Applicant : Wm P Lintner

10678 Jefferson Road Osceola, IN 46561-9127

Description : An existing, concrete seawall will be re-faced with a new steel sheet piling

seawall along 72' of the north (right) bank of the St. Joseph River to deter bank erosion. The new wall will be approximately 5' high, as measured from the riverbed, will have the same alignment as the existing wall, and will tie into existing seawalls located on adjacent properties located to the east and the west. The piling will be driven approximately 6' into the riverbed and will be anchored with deadmen spaced at 12' intervals. A whaler will be placed across the inside of the wall to further stabilize the structure. Clean fill will be brought onsite to backfill the area landward of the new seawall. The fill will be leveled with the top of the wall at the river and will be tapered back to existing ground elevations within the project site. Details of the project are contained in information received

electronically at the Division of Water on May 31, 2005.

Location : Along the right (north) bank of the St. Joseph River approximately 4000'

downstream of the State Road 219 (Ash Road) bridge near Osceola, Penn Township, St. Joseph County NW¼, Section 9, T 37N, R 4E, Osceola Quadrangle

Quad Code: 4108661

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23384

Stream : Big Raccoon Creek

Applicant : Panhandle Eastern Pipe Line Company

Ralph Oakley

8910 Purdue Road, Suite 300 Indianapolis, IN 46268-1192

Description : Maintenance will be performed on existing pipelines by installing erosion

protection. Exposed pipelines will be armored with a 145'wide x 70'long and 25' wide x 95' long, Ercoform™ Articulating Grout Mats, as well as two Palisade Systems, one 140' long and the other 180' long. Details of the project are contained in information received electronically at the Division of Water on May

31, 2005.

Location : The crossing is located in west ½ of Section 29, T-15-N, R-8-W, Parke County,

Indiana. The site is on the "Mecca, Indiana" USGS Quadrangle sheet. GPS Coordinates are 39.7179N, 87.3281W. The project is located in Big Raccoon

Creek.

near Mecca, Wabash Township, Parke County W½, Section 29, T 15N, R 8W, Mecca Quadrangle

Quad Code: 3908763

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23385

Stream : Unnamed Tributary State

Ditch

Applicant : Manchester Village Cooperative, Inc.

James L Cooper 4233 Holly Hill Drive

Indianapolis, IN 46221-2927

Description : Approximately 1308' of eroded streambank along the creek which runs through

Manchester Village apartments, from northwest to southeast, will be dredged to bring the streambed to it's original level. The streambanks will then be stabilized with geotextile fabric and end dumped riprap to protect the streambanks from future erosion. Prior to the application of the fabric and riprap some areas of the stream bed will be dredged to to bring the stream bed to its original shape and flow. Also prior to the application of the fabic and riprap some areas of the stream bed will have old concrete removed to restore the stream bed and flow. These improvements to the stream bed will reduce the chance of flooding of the

apartment buildings at Manchester Village. Details of the project are contained in information received electronically at the Division of Water on June 2, 2005.

Location : The project location is in Manchester Village apartments located at 4200 Mann

Road. The stream is 4200 south and 4500 west in Marion County. The stream is located one mile south of Kentucky Avenue on Mann Road. The stream runs from the northwest, 200 feet northwest of Londonderry Drive, to the southeast where it

goes under Mann Road

at Indianapolis, Decatur Township, Marion County

Maywood Quadrangle Quad Code: 3908662

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : PL-20142

Lake : Cedar Lake

Applicant : WPM Construction

**Greg Delaleurs** 

1000 East 80th Place STE: 555 Merrillville, IN 46410-5673

Description : A temporary pier will be placed in front of the applicant's property located

approximately 330' from the west property line and 345' from the east property line. The 6' wide pier will extend 200' lakeward of, and perpendicular to, the lake's legal shoreline. It will be supported by 3.5" auger poles, which will be placed in the lakebed using hand held tools. In addition, a dry fire hydrant will be installed as required by the Town of Cedar Lake Fire Department. The water intake will consist of a 2.5' tall concrete manhole set on the lakebed with a iron open grate. The top of the grate will sit at an elevation of 692.9', NGVD29, 2.5' below the normal water level of Cedar Lake. Water grade pressure piping with mechanical joints will connect the water intake to a dry fire hydrant located on the developed site. Details of the project are contained in information and plans

received at the Division of Water on May 26, 2005.

Location : at the intersection of Morse Street and 133rd Avenue, directly west and adjacent

to Morse Street

near Cedar Lake, Center Township, Lake County

SE<sup>1</sup>/<sub>4</sub>, SE<sup>1</sup>/<sub>4</sub>, SW<sup>1</sup>/<sub>4</sub>, Section 23, T 34N, R 9W, St. John Quadrangle

Quad Code: 4108744

UTM Coordinates: Downstream 4580491 North, 464652 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20143

Lake : Big Barbee Lake

Applicant : Mr and Mrs Ken Biddle

Toby Biddle 27 EMS B28C LN

Pierceton, IN 46562-9141

Description : A new underwater beach will be constructed in front of the property of the

applicant on Big Barbee Lake to provide recreational use. The beach will consist of a 4" to 6" thick layer of (7/64 inch, washed pea gravel) placed directly on the lakebed. The beach will begin approximately 1' south of the southern property line and will extend southerly across 20' of the 110' frontage. It will have a maximum lakeward projection of 20' or a depth of 6' below the average normal level of the lake. Details of the project are contained in information received

electronically at the Division of Water on May 27, 2005.

Location : Shoreline of Big Barbee Lake along western bank of lot 15 South Point Estates in

Tippecanoe Township.

Near Pierceton, Tippecanoe Township, Kosciusko County

Survey

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20145

Lake : Irish Lake

Applicant : William L Miller

C/O Tower Bank and Trust

171 EMS B 61 Lane Warsaw, IN 46582-6651

Description : A new seawall will be constructed across 80' of the 80' frontage of the applicant

along Irish Lake to deter shoreline erosion. The wall will consist of poured in place concrete which will be sloped on the lakeward side. It will be 48" high and will vary uniformly in thickness from 12" to 30" from the base to the top. The lakeward face of the wall will be (legal/average normal) shoreline. Details of the project are contained in information received electronically at the Division of

Water on June 2, 2005.

Location : Beginning at the most Easterly corner of Lot number 3 in Shore Acres Addition

Seventh Subdivision and running thence N 62∞-04' W, on the Northesternly line of said Lot number 3. a distance of 76 feet; thence N

61∞-22'-30" E (recorded N 61∞-11' E). a distance of 78 feet; thence

S 20∞-21' E, a distance of 81.8 feet; thence N 82∞-52' W, a

distance of 30 feet to the place of begining, containing in all .0803 acres, more or less, being part of Section 21, Township 33 North, Range 7 East, all in Kosciusko

County, Indiana.

Near North Webster, Tippecanoe Township, Kosciusko County

Section 21, T 33N, R 7E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11